

Windows
make
houses



www.

WINDOW-MART
.co.uk

FRAMEWORK - the latest PVCu technology with no compromise, wide range of colour finishes, choice of white, mahogany, rosewood, light oak, cream, black and grey being some of the more popular. Either applied to all surfaces or external only. Our windows and doors are 70mm deep and have been purposely designed for the UK market's unique architecture.

GLAZING - our products are glazed from the inside, using removable beads, available in chamfered or sculptured designs to match your specific application. Fitted with Heatguard® full 28mm argon filled warm edge high performance sealed glazing units.

ENERGY SAVING - energy efficiency is the central drive in our product development programme. Fact; your investment in energy efficiency windows will always be returned during their own lifetime, in the form of reduced household energy costs. Our range of double glazed windows were the first in the UK to be awarded an 'A' rating by the British Fenestration Ratings Council.

WINDOW SECURITY -

products are fitted with our unique Homeguard™ range of locks and handles. Purpose designed and sourced in the UK. Probably the most ergonomic designs available in our market today, meet the strict criteria of British Standards for enhanced security.

DOOR SETS - a truly complete package, with

Homeguard™ security system, incorporating a full length hook locking keep, heavy duty flag hinges with 3 - dimensional adjustment and suited furniture. All reinforced with rolled steel sections. Designed and proven to meet British Standards for enhanced security.

10 YEAR INSURANCE BACKED GUARANTEE

Every installation also comes complete with a fully comprehensive 10 year insurance backed guarantee.

SCULPTURED OR CHAMFERED




White



Rosewood



Light Oak






Strong, Safe & Secure

- TRIED AND TESTED TO STAND THE TEST OF TIME.
- SUDDENLY YOU DON'T FEEL SO VULNERABLE.
- ALL PRODUCTS CARRY THE HIGHEST SECURITY ACCREDITATION

Homeguard™ is a unique hardware security system for windows and doors. All components have been purpose designed and selected to ensure the finished products performance can surpass all standards laid down for enhanced security and is also durably, long lasting and pleasing to the eye.




- 1 Sculptured glazing bead (optional).
- 2 Steel reinforcement for strength and rigidity where necessary.
- 3 Sculptured and Chamfered profile finish.
- 4 Black or white low line gaskets.
- 5 Multi-chambered profile.
- 6 Sculptured internally beaded sash (optional)
- 7 70mm profile with 28mm sealed units, for better strength, sound proofing and insulation.

FULLY WELDED PROFILE

High impact 70mm framework with thermally welded joints provides integral strength which is further increased, where necessary, through the incorporation of fully galvanised steel reinforcement into the multi-chambered structure of the profile.

QUICK EXIT / EASY CLEAN HINGE

The quick exit hinge can be opened to allow unrestricted means of escape in an emergency (available as an option). This also allows the opening to slide to gain access for cleaning.



Two security Claws fitted as Standard to each sash.

RESTRICTOR HINGE

A thoughtful touch, the restrictor hinge (available as an option) keeps young children safe and secure whilst being child-proof in operation.

This innovative hinge limits the opening of the window preventing anyone from accidentally falling.

A pressure pad concealed within the hinge mechanism allows the window to be opened fully by an adult. The restrictor hinge is recommended for windows fitted in children's bedrooms.





The combination of locking points that secure the window in all four corners and four sides of the frame, and its internally glazed design that prevents the glass from being removed from the outside, makes HOMEGUARD™ the right choice.

- ① Shootbolt
- ② Bi directional hooks
- ③ Bi directional hooks
- ④ Shootbolt
- ⑤ High security hinge claws
- ⑥ Locking wedge
- ⑦ High security hinge claws

HOMEGUARD™ offers proven protection against burglary with multi-point locking systems fitted as standard on all windows and doors.



DOORS



The security specification on every HOMEGUARD™ product includes locking points strategically positioned on the hinge and handle sides to provide effective all around anti-intruder protection.



Fully Adjustable Security Hinges fixed directly into steel reinforcement.



Every single component of the HOMEGUARD™ system is specified to an uncompromising standard. Even the screws used are superior grades, that have been tested for 1000 hours in a salt spray chamber to ensure their quality.



Peaceful & Warm

■ ENVIRONMENTALLY FRIENDLY & ENERGY SAVING

The British Fenestration Rating Council's 'Window Energy Rating' scheme calculates the overall energy efficiency of windows. It has given consumers an easy way to distinguish between the top energy saving A-C rated windows and less eco-friendly alternatives.

Now consumers can instantly verify the performance claims of manufacturers and compare different window types according to their need – as well as deciding which product is best, and most importantly whether they're getting value for money. In the future all window products are likely to be energy rated. This will make it even easier to choose the right energy efficient glazing – one that generates tangible savings for the home, and the environment.

Just another reason you're more comfortable at home with HeatGuard®

Energy Window	
Tradelink Direct Limited PVC U Casement Window Tradelink Heat-Guard Thermal (Rehau)	
Energy Index (kWh/m ² /year) (Energy Index certified by BFRC and based on UK standard window. The actual energy consumption for a specific application will depend on the building, the local climate and the indoor temperature)	2
The climate zone is:	UK
Thermal Transmittance (U _{window}) Solar Factor (g _{window}) Effective Air Leakage (L _{factor})	1.4 W/m ² .K 0.45 0.00 W/m ² .K
	Reg. No.: 1532 M009 www.bfrc.org
<small>This label is not a statutory requirement. It is a voluntary label provided as a customer service to allow consumers to make informed decisions on the energy performance of competing products.</small>	

Energy Window	
Tradelink Direct Limited PVC U Casement Window Tradelink Heat-Guard Plus (Rehau)	
Energy Index (kWh/m ² /year) (Energy Index certified by BFRC and based on UK standard window. The actual energy consumption for a specific application will depend on the building, the local climate and the indoor temperature)	-7
The climate zone is:	UK
Thermal Transmittance (U _{window}) Solar Factor (g _{window}) Effective Air Leakage (L _{factor})	1.4 W/m ² .K 0.41 0.00 W/m ² .K
	Reg. No.: 1533 M009 www.bfrc.org
<small>This label is not a statutory requirement. It is a voluntary label provided as a customer service to allow consumers to make informed decisions on the energy performance of competing products.</small>	

